

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24425

Stream : Pond Flat Ditch

Applicant : Vanderburgh County Surveyor
Bill Jeffers
Room 325, Civic Center
1 Martin Luther King Boulevard
Evansville, IN 47708-1887

Description : Approximately 3100' of channel will be reconstructed and widened. The channel will be enlarged to an average depth of 10.5', width of 10' and side slopes of 3:1. Also 10 existing outfall structures will be replaced. Details of the project are contained in information and plans received at the Division of Water on July 26, 2007.

Location : Along both banks of Pond Flat main Ditch beginning 30' east of CSX railroad and continuing upstream to US Highway 41 for approximately 3100'
DOWNSTREAM: near Haubstadt, Scott Township, Vanderburgh County
S $\frac{1}{2}$, S $\frac{1}{2}$, SW $\frac{1}{4}$, Section 30, T 4S, R 10W, Haubstadt Quadrangle
Quad Code: 3808725
UTM Coordinates: Downstream 4221217 North, 451687 East
UPSTREAM: SE $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 30

UTM Coordinates: Upstream 4221333 North, 450709 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24428

Stream : Maumee River

Applicant : Allen County Highway Department
Bill Hartman
1 West Superior Street
Fort Wayne, IN 46802-1299

Description : A new bridge will be constructed over the Maumee River to carry Maplecrest Road across the stream. The new structure will be a 7-span prestressed concrete bridge with span lengths of 123', 5 @ 135', and 123'. The structure will have an out-to-out length of 65.33' and a clear roadway width of 52'. The spill through abutments will have 2:1 sideslopes armored with revetment riprap. The abutments and piers will be skewed 35 degrees to align with streamflow. The approach roads will be elevated a maximum of 22' above the existing grade. The project is partially federally funded. Details of the project are contained in information received electronically at the Division of Water on July 27, 2007 and in plans and information received at the Division of Water on

Location : At the Maplecrest Road crossing
near Fort Wayne, Adams Township, Allen County
Section 3, T 30N, R 13E, Fort Wayne East Quadrangle
Quad Code: 4108511

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24431

Stream : Unnamed Tributary
Nineveh Creek

Applicant : Camp Atterbury JMTC
William Ochsner
Camp Atterbury JMTC
DPTM
Edinburgh, IN 46124-5000

Description : The proposed project would install cable concrete mats and riprap to harden and stabilize a stream crossing. The area impacted below the ordinary high water mark will be 496 square feet. 240 square feet of this will be exposed riprap and the remaining 256 square feet will be cable concrete. The crossing will be excavated to a depth of 24.5 which will result in the installed materials being at the same elevation as the existing stream bed. Geotextile fabric will be placed between the stream and the riprap sub-base. The sub-base will consist of 8" of 6" riprap and 8" of 2" riprap on top of which the cable concrete will be keyed into the upstream side. An apron of 6"- 8" riprap will be placed 10' out on the upstream side of the cable concrete which is then followed up by 5' of 6" - 8" riprap on the downstream side. Standard erosion control practices will be utilized during and after construction including: silt fencing, and hydro seed mulch with native vegetation. Details of the project are contained in information received electronically at the Division of Water on July 27, 2007 and in plans and information received at the Division of Water on July 30, 2007.

Location : Approximately 765' north of Hendrick's Ford Road
near Edinburgh, German Township, Bartholomew County
SW¼, SE¼, Section 6, T 10N, R 5E, Nineveh Quadrangle
Quad Code: 3908631

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24432

Stream : Unnamed Tributary
Nineveh Creek

Applicant : Camp Atterbury JMTC
William Ochsner
Camp Atterbury JMTC
DPTM
Edinburgh, IN 46124-5000

Description : The proposed project would install cable concrete mats and riprap to harden and stabilize an existing stream crossing. The area impacted below the ordinary high water mark will be 496 square feet. 240 square feet of this will be exposed riprap and the remaining 256 square feet will be cable concrete. The crossing will be excavated to a depth of 24.5 which will result in the installed materials being at the same elevation as the existing stream bed. Geotextile fabric will be placed between the stream and the riprap sub-base. The sub-base will consist of 8" of 6" riprap and 8" of 2" riprap on top of which the cable concrete will be keyed into the upstream side. An apron of 6" - 8" riprap will be placed 10' out on the upstream side of the cable concrete which is then followed up by 5' of 6" - 8" riprap on the downstream side. Standard erosion control practices will be utilized during and after construction including: silt fencing, and hydro seed mulch with native vegetation. Details of the project are contained in information received electronically at the Division of Water on July 27, 2007 and in plans and information received at the Division of Water on July 30, 2007.

Location : Approximately 1249' north of Hendrick's Ford Road near building 4032 (Old Range Control)
SW ¼ SW ¼, Section 6, T 10 N, R 5E, Ninevah Quadrangle
UTM Coordinates 4354316 N 584175 E

near Edinburgh, German Township, Bartholomew County
Section 6, T 10N, R 5E, Nineveh Quadrangle
Quad Code: 3908631

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24436

Stream : Elkhart River

Applicant : Elkhart County Parks
Larry Neff
211 West Lincoln Avenue
Goshen, IN 46526-3280

Description : The purpose of the project is to provide stabilization and prevent further erosion on a steep slope of the Elkhart River. Approximately 310 linear feet of the eroded streambank will be stabilized. Large diameter crushed limestone rip rap will be used to fill in scour pit areas and will be placed along the bank for toe protection from an elevation of 760 to 761, an embankment shelf will be created. Approximately 1550 cubic yards of rip rap will be placed below the ordinary high water mark. Topsoil will be installed on the embankment shelf to promote establishment of native vegetation along with native trees and shrubs. Native seed will also be installed above this shelf on the 2.5:1 streambank slope. A 20 percent-slope access ramp will be created for use during construction. Details of the project are contained in information received electronically at the Division of Water on July 31, 2007 and in plans and information received at the Division of Water on

Location : The Elkhart Riverbank Stabilization project will take place along the Elkhart River at its intersection with County Road 45
near Dunlap, Elkhart Township, Elkhart County
Section 25, T 37N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20819

Lake : Crooked Lake

Applicant : Kenneth and Dolores Collis
1908 Kensington Boulevard
Fort Wayne, IN 46805-4608

Description : A new concrete seawall will be constructed across 50' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 18, 2007.

Location : 3460 West Shadyside Road; Lot 33 of Shady Side Addition
near Angola, Pleasant Township, Steuben County
SW¼, NW¼, NE¼, Section 17, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4614888 North, 661708 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20820

Lake : Crooked Lake

Applicant : Gary Scheckelhoff
455 Shannon Street
Bluffton, IN 45817-8532

Description : A new concrete seawall will be constructed across 40' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 18, 2007.

Location : 3470 West Shadyside Road; Lot 32 of Shady Side Addition
near Angola, Pleasant Township, Steuben County
SW¼, NW¼, NE¼, Section 17, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4614882 North, 661727 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20821

Lake : Little Pike Lake

Applicant : William L. Rhoades
2144 Bluewater Drive
Warsaw, IN 46580-2203

Description : A concrete seawall will be refaced with a layer of concrete across 108' of the applicant's 108' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on July 5, 2007, July 24, 2007 and August 1, 2007.

Location : Channel off Little Pike Lake
at Warsaw, Wayne Township, Kosciusko County
SE¼, NW¼, NE¼, Section 5, T 32N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4568365 North, 596535 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20829

Lake : Cline Lake

Applicant : Senator Robert Meeks
5840 East 025 North
LaGrange, IN 46761-9519

Description : A new bioengineered seawall will be constructed across 180' of the applicant's frontage. The new seawall will be constructed using glacial stone and live stake plantings. The joint planting method will be used. Button Bush, Bristly Sedge, Red-Osier Dogwood or other plants approved by the Division of Fish and Wildlife will be planted at and above the waterline. Rush, pickerel weed and other emergent wetland plants native to the lake will be planted at or below the waterline. The joint planting method will be used. Some minor regrading of the bank will be needed to accommodate the project. Details of the project are contained in information and plans received at the Division of Water on July 24, 2007 and August 1, 2007.

Location : 5840 East 125 North; Lots 7, 8 and 9 in Weirhaze Addition
DOWNSTREAM: near LaGrange, Bloomfield Township, LaGrange County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 24, T 38N, R 10E, Mongo Quadrangle
Quad Code: 4108563
UTM Coordinates: Downstream 4612318 North, 640418 East
UPSTREAM:
UTM Coordinates: Upstream 4612364 North, 640481 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20834

Lake : Sylvan Lake

Applicant : Ken A Peterman
Julia A Peterman
225 Landau Run
Fort Wayne, IN 46845-2101

Description : We would like to recap and reface our existing 250' concrete sea wall with concrete. We also need to remove the existing concrete footing which is slippery and dangerous in front of existing seawall. We would also like to extend the existing seawall another 100' along the former boat channel to prevent further erosion. We are planning to construct a 125' x 30' x 6" gravel beach. Plans attached. (75 Cubic Yards). Details of the project are contained in information received electronically at the Division of Water on July 30, 2007 and in plans and information received at the Division of Water on

Location : Sylvan Lake - 1st Add Briar Hill Lot 1, 1st Add Briar Hill Lot 2, 1st Add Briar Hill Lot 4, 1st Add Briar Hill .03a 8' Easement Adj to Lot 2
At Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20838

Lake : Witmer Lake

Applicant : Mitchell Neumann
6455 South 400 East
Wolcottville, IN 46795-9413

Description : A new seawall will be constructed across 50' of the 50' frontage of the applicant along Witmer Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 34" high and will vary uniformly in thickness from 8" to 5" from the base to the top. The lakeward face of the wall will be at the legal shoreline. A 8" wide layer of sand will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on July 31, 2007 and in plans and information received at the Division of Water on

Location : 7195 S 170E
at Wolcottville, Johnson Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11